



1. PRODUCT DESCRIPTION

The DERBLAUE® Double-Splash-Guard with two 15 mm openings, 50 mm apart, serves as an effective splash guard on pipes. Thanks to the integrated magnetic bending metal elements, it can be bent into the desired shape as often as required and enables easy connection with other DERBLAUE® products, such as the Slide, for extended functionality.

[DERBLAUE®](#)

2. SCOPE OF DELIVERY

- **Double-Splash-Guard:** With two 15 mm openings 50 mm apart; equipped with magnetic bending metal elements for flexible shaping and easy connection to other components.
-

3. TECHNICAL DATA

- **Material:** Fabric-reinforced special tarpaulin
 - **Openings:** Two openings with a diameter of 15 mm each
 - **Distance between the openings:** 50 mm
 - **Shaping:** Can be shaped as often as required using magnetic bending metal elements
-

4. SAFETY INFORMATION

- **Use:** Suitable as a splash guard for pipes with a diameter of 15 mm.
 - **Handling:** Avoid contact of the splash guard with sharp or pointed objects to prevent damage.
 - **Storage:** Clean the splash guard after use and store it in a dry place to ensure the longevity of the material.
 - **Fastening:** Ensure that the magnetic bending metal elements are firmly attached and that the splash guard is in a stable position.
 - **Warning:** Not suitable for drinking water. This product is intended exclusively for non-potable liquids. Use in drinking water systems may impair water quality.
-

5. LABELING AND TRACEABILITY

- **Manufacturer:** Aqua Evolution Systems GmbH
 - **Brand:** DERBLAUE®
 - **Product name:** Double-Splash-Guard 2x15mm
 - **Item number:** 12005
 - **Contact address:** Aqua Evolution Systems GmbH Lindenstr. 14| 87477 Sulzberg
| Germany
 - **Website:** store.derblaue.com
-

6. OPERATING INSTRUCTIONS

Using the DERBLAUE® Doubl-Splash-Guard 2x15mm

1. **Attaching the splash guard:**
 - o Place the splash guard around the pipes with a diameter of 15 mm so that the openings enclose the pipes.
 - o Adjust the shape of the splash guard to the local conditions using the magnetic bending metal elements to ensure optimum splash protection.
 2. **Combination with other products:**
 - o Use the magnetic properties of the splash guard to connect it to the DERBLAUE® Slide or other compatible products and direct the flow of liquid.
 3. **After use:**
 - o Clean the splash guard with clear water and a mild detergent.
 - o Allow the splash guard to dry completely before storing it.
-

7. RISK ANALYSIS

- **Mechanical risks:**
 - o Possible damage due to improper handling or sharp objects.
 - o Measures: Careful handling and avoid contact with sharp objects.
- **Chemical risks:**
 - o Possible material damage due to aggressive chemicals.
 - o Measures: Only use the splash guard with recommended liquids.
- **Fastening risks:**
 - o Improper fastening can cause the splash guard to slip.
 - o Measures: Ensure that the magnetic bending metal elements are firmly attached and the splash guard is stably positioned

8. DECLARATION OF CONFORMITY

Manufacturer:

Aqua Evolution Systems GmbH
Lindenstr. 14| 87477 Sulzberg| Germany

Aqua Evolution Systems GmbH hereby declares that the DERBLAUE® Double-Splash-Guard 2x15mm complies with the requirements of EU Regulation 2023/988 on general product safety (GPSR).

Date: 12.12.2024

Signature: 
Position: CEO

9. CLEANING AND CARE

Clean the Double-Splash-Guard after each use with warm water and a mild detergent to remove dirt and residues.

Dry the Double-Splash-Guard completely before storing it.

Store the Double-Splash-Guard in a dry, cool place and protect it from direct sunlight and aggressive chemicals.

10. MAINTENANCE AND INSPECTION

Before each use, check the Double-Splash-Guard for deformations or loose components and fix or straighten them if necessary.

Check the material regularly for cracks, signs of wear or other damage.

Replace damaged Double-Splash-Guard immediately to ensure safe and reliable use.

11. DISPOSAL

- **Dispose of in an environmentally friendly manner:**
 - Dispose of defective splash guard components in accordance with local regulations.
 - Plastic and metal parts can be recycled.
 - Parts with integrated magnets must not be disposed of with household waste; take them to a suitable recycling point.

12. WARRANTY AND CONTACT

For warranty inquiries or further information, please contact: DERBLAUE® Customer Service

by e-mail: service@derblaue.com

Phone: +49 8376 3269961